

ARCIL DN250 | FORM-FILL-SEAL



ARCIL DN250 Basics

- Cost-effective FFS machine for dairy and food products
- Compact footprint
- Suitable for PS and PET
- Mechanical technology
- Speed range: 8,640 labeled cups per hour

ARCIL DN250 Strengths

- Engineered for performance
- Efficient dosing
- Easy cleaning and accessibility
- Cost-effective labelling technology

ARCIL DN250 | COST-EFFECTIVE FORM-FILL-SEAL FOR LABELED CUPS




CUPS WITH LABEL
Multipack config x2 x4 x8

Trimming dimensions 63 x 63mm
Height 40mm to 60mm



CUPS WITH PARTIAL LABEL
Multipack config x2 x4 x8

Trimming dimensions 63 x 63mm
Height 40mm to 60mm



LARGE ROUND CUPS
Multipack config x1 x2 x6

Trimming dimensions 73 x 73mm
Height 40mm to 75mm



CUPS WITHOUT LABEL
Multipack config x2 x3 x4 x6

Trimming dimensions 63 x 63mm
Height 10mm to 75mm

DESSERTS & CREAM



DAIRY PRODUCTS



Engineered for Performance

- Customizable speed up to 18 cycles with decor per minute
- Production output up to 8,640 cups/hour and 18,000 for non labeled cups
- Footprint (m) : 8.2L x 2.5W x 2.7H
- Filling various formats from 45 to 240g
- Materials: PS or PET

Efficient Dosing

- Up to 2 different fillers for multi-layer products
- Suitable for most homogeneous and pumpable products with fruit pieces
- Synerlink offer a global commitment for hygienic, integrity and accuracy of the filled products.
- Fill testing available for customer product optimization and faster ramp-up

Designed for Easy Cleaning and Accessibility

- Fast and efficient cleaning
- High visibility on stations and tooling
- High accessibility for inspections, maintenance and cleaning operations
- Compliant with CE regulations
- Customizable HMI visualization for optimized production reporting
- Operations at chest height (110 cm/43.3 in)



Synerlink

1 rue de la Boulaye

95650 Puiseux-Pontoise France

t. +33 (0) 1 30 15 29 30

synerlink.com

barrywehmiller

bw
betterworld